

## AUTHOR INDEX

- Abe, I., see Takishita, S.  
 Abe, K., see Kohzuki, M.  
 Abe, K., see Tsunoda, K.  
 Abiko, Y., see Miura, L.  
 Abete, P., Ferrara, N., Rengo, F. and Vassalle, M. Mechanisms of lidocaine actions on normal and abnormal rhythms in canine cardiac tissues *in vivo* and *in vitro* 179  
 Achike, F. I. and Dai, S. Cardiovascular response to nifedipine in anaesthetized rats with abnormal blood gas/pH levels 223  
 Adam, W. R., see Ellis, A. G.  
 Akanuma, M., see Maie, S-I.  
 Al-Hader, A., see Hasan, Z.  
 Alcorn, D., see Morgan, T.  
 Allen, A. M., see Song, K.  
 Allen, D. H. G., Puddey, I. B., Morton, A. R. and Beilin, L. J. A controlled study of the effects of aerobic exercise on antihypertensive drug requirements of essential hypertensive patients in the general practice setting (Short Comm.) 279  
 Allen, R., Boublik, J., Hauger, R. L., Scott, N., Rivier, J. and Brown, M. R. Neuropeptide Y radio-immunoassay: Characterization and application 825  
 Alomaka, C. P., see Obiefuna, P. C. M.  
 Anderson, W. P. High Blood Pressure Research Council of Australia Annual Meeting, 1990 263  
 Anderson, W. P. and Esler M. Future directions in cardiovascular research 1, 65  
 Anderson, W. P., Woods, R. L. and Gao, Y. Renovascular hypertension: Information from experiments using conscious dogs (Short Comm.) 29  
 Anfossi, G., Mularoni, E., Massucco, P., Cavalot, F., Burzacca, S., Mattiello, L. and Trovati, M. Calcium-channel blocking agents verapamil and diltiazem are inhibitors of vasopressin-induced human platelet activation 767  
 Angus, J. A., see Jennings, G.  
 Angus, J. A., Cocks, T. M., McPherson, G. A. and Broughton A. The acetylcholine paradox: A constrictor of human small coronary arteries even in the presence of endothelium (Short Comm.) 33  
 Aosaki, M., see Maie, S-I.  
 Bachmann, A. W., see Gordon, R. D.  
 Bachmann, A. W. and Gordon, R. D. Clonidine suppression test reliably differentiates pheochromocytoma from essential hypertension (Short Comm.) 275  
 Ballantine, D. M., see Gordon, R. D.  
 Barrett, G., see Morgan, T.  
 Barter, P. J. Role of non-esterified fatty acids in regulating plasma cholesterol transport (Short Comm.) 77  
 Bartrop, R., see Hunyor, S. N.  
 Beilin, L. J., see Allen, D. H. G.  
 Beilin, L. J., see Mori, T. A.  
 Beilin, L. J. Future directions for research into dietary and other lifestyle factors in hypertension (Short Comm.) 71  
 Belushkina, N. N., see Chirkov, Y. Y.  
 Benzoni, D., see Krieger, J.  
 Blair-West, J. R., see Wright, R. D.  
 Blanc, J., Grichois M-L. and Elghozi, J-L. Effects of clonidine on blood pressure and heart rate responses to an emotional stress in the rat: A spectral study 711  
 Bobik, A., see Saltis, J.  
 Bobik, A., Little, P. J. and Neylon, C. B. Ionic mechanisms regulating sodium entry into vascular smooth muscle (Short Comm.) 117

- Boublik, J.*, see Allen, R.  
*Brooks, B.*, see Muirhead, E. E.  
*Broughton, A.*, see Angus J. A.  
*Brown, L., Sernia, C., Newling, R. and Fletcher, P.* Comparison of inotropic and chronotropic responses in rat isolated atria and ventricles 753  
*Brown, M. R.*, see Allen R.  
*Brown, P.*, see Muirhead, E. E.  
*Burzacca, S.*, see Anfossi, G.  
*Byers, L. W.*, see Muirhead, E. E.  
*Campbell, G. R.*, see Campbell, J. H.  
*Campbell, J. H. and Campbell G. R.* The macrophage as an initiator of atherosclerosis (Short Comm.) 81  
*Campbell, T. J., Wyse, K. R. and Pallandi, R.* Differential effects on action potential duration of class Ia, b and c antiarrhythmic drugs: Modulation by stimulation rate and extracellular K<sup>+</sup> concentration 533  
*Candito, M.*, see Drici, M. D.  
*Carmody, J. J., Graham, G. G. and Ruigrok, M. A.* Stress in mice increases intrinsic pentobarbitone sensitivity by a predominantly pharmacodynamic mechanism 703  
*Casley, D. J.*, see Kohzuki, M.  
*Casley, D. J.*, see Mooser, V.  
*Casley, D. J.*, see Trinder, D.  
*Cavalot, F.*, see Anfossi, G.  
*Cejnar, M.*, see Hunyor, S. N.  
*Cejnar, M.*, see Kobler, H.  
*Chai, C. Y.*, see Yen, C. T.  
*Chai, S. Y.*, see Kohzuki, M.  
*Chalmers, J. P.*, see Llewellyn-Smith, I. J.  
*Chalmers, J. P.*, see Roberts-Thomson, P.  
*Chiba, S.*, see Iwatsuki, K.  
*Chin, J.*, see Esler, M.  
*Chirkov, Y. Y., Belushkina, N. N., Tyshchuk, I. A., Severina, I. S. and Horowitz, J. D.* Increase in reactivity of human platelet guanylate cyclase during aggregation potentiates the disaggregating capacity of sodium nitroprusside 517  
*Cobiac, L., Nestel, P. J., Wing, L. M. H. and Howe, P. R. C.* Effects of dietary sodium restriction and fish oil supplements on blood pressure in the elderly 265  
*Cocks, M.*, see Angus, J. A.  
*Coghlan, J. P.*, see Haralambidis, J.  
*Coghlan, J. P.*, see Tresham, J. J.  
*Conway, E. L.*, see Krum, H.  
*Conyers, R.*, see Rosenfeldt, F. L.  
*Cowley, A. W. Jr, Roman, R. J. and Krieger, J. E.* Pathways linking renal excretion and arterial pressure with vascular structure and function 21  
*Cox, H.*, see Esler, M.  
*Craig, A.*, see Hunyor, S. N.  
*Członkowski, A.*, see Widy-Tyszkiewicz, E.  
*Dai, S.*, see Achike, F. I.  
*Dampney, R. A. L. and Sasaki, S.* Tonic control of subretrofacial vasomotor neurons in the rostral ventrolateral medulla (Short Comm.) 97  
*Dan, Y.*, see Matsuoka, H.  
*Dart A.*, see Esler, M.  
*Dart, A. M. and Riemersma, R. A.* Noradrenaline release from the rat heart during anoxia: Effects of changes in extracellular sodium concentration and inhibition of sodium uptake mechanisms (Short Comm.) 43  
*De Voss, K.*, see Finn, W. L.  
*Deckert, V., Lachaud, V., Parini, A. and Elghozi, J-L.* Contribution of  $\alpha_2$ -adrenoceptors to the central cardiovascular effects of clonidine and S 8350 in anaesthetized rats 401  
*Deguchi, F.*, see Saito, T.

- Denborough, M. A., see Foster, P. S.
- Di-yuan, L., Kobayashi, A., Nara, Y., Ikeda, K., Mori, C. and Yamori, Y. Intracellular pH and sodium-proton exchange activity of lymphocytes in stroke-prone spontaneously hypertensive rats 589
- DiNicolantonio, R., see Spanos, H. G.
- Doepker, S. K., see Raff, H.
- Doyle, A. E. Editorial 587
- Drici, M. D., Roux, M., Candito, M., Rimailho, A., Morand, P. and Lapalus, P. Influence of beta-blockade on circulating plasma levels of 3-methoxy-4 hydroxy phenylethylene glycol (MHPG) during exercise in moderate hypertension 807
- Du, Z. Y., Dusting, G. J. and Woodman, O. L. Effect of tolerance to glyceryl trinitrate on vascular responses in conscious rabbits 439
- Du, Z. Y., Dusting, G. J. and Woodman, O. L. Haemodynamic responses to *N*-nitro-L-arginine in conscious rabbits (Short Comm.) 371
- Duffield, P. H. and Jamieson, D. Development of tolerance to kava in mice 571
- Dusting, G. J., see Du, Z. Y.
- Dusting, G. J., see Sobey, C. G.
- Dusting, G. J., see Tresham, J. J.
- Dusting, G. J., see Zambetis-Bellesis, M.
- Ebeigbe, A. B., see Obiefuna, P. C. M.
- Eisenhofer, G., see Esler, M.
- Elghozi, J.-L., see Blanc, J.
- Elghozi, J.-L., see Deckert, V.
- Elghozi, J.-L., Laude, D. and Girard, A. Effects of respiration on blood pressure and heart rate variability in humans (Ed. Rev.) 735
- Ellis, A. G. and Adam, W. R. Effects of opiates on sodium excretion in the isolated perfused rat kidney 835
- Elsegood, C. L., see Mackintosh, V. S.
- Endo, J., see Ikeda, K.
- Endo, J., see Nabika, T.
- Erskine, W. A. R., see Janicki, P. K.
- Esler, M., see Anderson, V.
- Esler, M., see Jennings, G.
- Esler, M., Eisenhofer, G., Dart, A., Chin, J., Cox, H., Lambert, G. and Jennings, G. Adrenaline release by the human heart (Short Comm.) 67
- Evans, R. G., see Ludbrook, J.
- Evans, R. G., Ludbrook, J. and Michalick, J. Use of nicotine, bradykinin and veratridine to elicit cardiovascular chemoreflexes in anaesthetized rabbits 245
- Ferrara, N., see Abete, P.
- Ferré, F., see Leroy, M. J.
- Field, M. J., see Longergan, M. A.
- Finet, M., see Schleiffer, R.
- Finn, W. L., see Gordon, R. D.
- Finn, W. L., see Tunny, T. J.
- Finn, W. L., Tunny, T. J., Klemm, S. A., Jones, I. S., De Voss, K. and Gordon, R. D. Sodium and volume dysregulation after apparently normal pregnancy is suggested by abnormal levels of atrial natriuretic peptide, renin and aldosterone (Short Comm.) 269
- Fletcher, P., see Brown, L.
- Folkow, B. Giraffes, rats and man: What is the importance of the 'structural factor' in normo- and hypertensive states? 3
- Foster, P. S., Hopkinson, K. C., Payne, N. and Denborough, M. A. The effect of azumolene on hypercontractility and sarcoplasmic reticulum  $\text{Ca}^{2+}$ -dependent ATPase activity of malignant hyperpyrexia-susceptible porcine skeletal muscle 489
- Fujimoto, A., see Ikeda, K.
- Fujishima, M., see Takishita, S.
- Fukiyama, K., see Takishita, S.

- Fukuchi, S.*, see Mizuno, K.  
*Fukui, K.*, see Matsuoka, H.  
*Fukuo, K.*, see Imaoka, M.  
*Fullerton, M.*, see Woodcock, E. A.  
*Furuta, T.*, see Miyawaki, N.  
*Gairard, A.*, see Schleiffer, R.  
*Gao, Y.*, see Anderson, W. P.  
*Ghysel-Burton, J.*, see Schleiffer, R.  
*Gibson, A. P.*, see Wright, R. D.  
*Girard, A.*, see Elghozi, J-L.  
*Gordon, R. D., Stowasser, M., Tunny, T. J., Klemm, S. A., Finn, W. L. and Krek, A. L.* Clinical and pathological diversity of primary aldosteronism, including a new familial variety (Short Comm.) 283  
*Gordon, R. D.*, see Bachmann, A. W.  
*Gordon, R. D.*, see Finn, W. L.  
*Gordon, R. D.*, see Klemm, S. A.  
*Gordon, R. D.*, see Tunny, T. J.  
*Gordon, R. D., Bachmann, A. W., Ballantine, D. M. and Thompson, R. E.* Potassium, glucose, insulin interrelationships during adrenaline infusion in normotensive and hypertensive humans (Short. Comm.) 291  
*Graham, G. G.*, see Carmody, J. J.  
*Grice, J. E.*, see Hockings, G. I.  
*Grichois, M-L.*, see Blanc, J.  
*Griffen, S. C.*, see Raff, H.  
*Griffiths, L. R., Zee, R. Y. L., Ying, L-H and Morris, B. J.* A locus on the long arm of chromosome 1 as a possible cause of essential hypertension (Short Comm.) 363  
*Habara, N.*, see Masuo, K.  
*Hagemann, A.*, see Nielsen, A. H.  
*Haralambidis, J. and Coghlan, J. P.* Polyamide-oligonucleotide hybrid molecules (Short Comm.) 89  
*Hasan, M.*, see Hasan, Z.  
*Hasan, Z., Hasan, M., Al-Hader, A. and Tokrouri, M.* A comparison of the anticonvulsant effects of propofol and thiopentone against pentylenetetrazol-induced convulsions in the rat 691  
*Hassan, H. T.* Recombined human interleukin-6 enhances the antiproliferation and differentiation inducing effects of retinoic acid in HL-60 myeloid leukaemic cells (Short. Comm.) 847  
*Hattori, K.*, see Kobayashi, Y.  
*Hauger, R. L.*, see Allen, R.  
*Hayashi, K.*, see Uchida, T.  
*Head, G. A.* Cardiovascular functions of central noradrenergic neurons in rabbits (Short Comm.) 51  
*Henderson, R.*, see Hunyor, S. N.  
*Hergenröder, S.*, see Kirchengast, M.  
*Hewitson, T. D.*, see Whitworth, J. A.  
*Hidaka, H.*, see Tanaka, H.  
*Higaki, J.*, see Morishita, R.  
*Hirata, Y.*, see Matsuoka, H.  
*Hisa, H.*, see Takahara, A.  
*Hockings, G. I., Grice, J. E., Walters, M. M. and Jackson, R. V.* L-type calcium channels and CRH-mediated ACTH and cortisol release in humans (Short Comm.) 303  
*Hodgson, W. C.*, see Sikorski, B. W.  
*Hopkinson, K. C.*, see Foster, P. S.  
*Horiuchi, A.*, see Iwatsuki, K.  
*Hornych, A.*, see Klemm, S. A.  
*Horowitz, J. D.*, see Chirkov, Y. Y.  
*Howe, P. R. C.*, see Cobiac, L.  
*Howes, G. L.*, see Krum, H.  
*Hultkvist-Bengtsson, U. and Mårtensson, L.* Oleic acid-induced injuries in the guinea-pig: Effects of allopurinol on cell dynamics, erythrocyte-catalase and uric acid plasma levels 127

- Hunyor, S. N., see Kobler, H.
- Hunyor, S. N., Bartrop, R., Craig, A., Cejnar, M., Liggins, G., Henderson, R. and Jones, M. Voluntary blood pressure control by biofeedback: Relationship to psychological characteristics (Short Comm.) 550
- Hwang, J. C., see Yen, C. T.
- Ichihara, K., see Miura, L.
- Ikeda, K., see Di-yuan, L.
- Ikeda, K., see Kobayashi, Y.
- Ikeda, K., Nara, Y., Nabica, T., Fujimoto, A., Endo, J., Ishino, H. and Yamori, Y. Genetic factors regulate the rise in blood pressure in F<sub>2</sub> generation crossed between stroke-prone spontaneously hypertensive rats and Wistar-Kyoto rats 593
- Ikeda, K., Nara, Y. and Yamori, Y. Chloride ion ingested with sodium affects the development of cerebral lesions in stroke-prone spontaneously hypertensive rats 393
- Ikegaki, I., see Takahashi, H.
- Ikemoto, F., see Takeshita, H.
- Imaoka, M., Morimoto, S., Kitano, S., Fukuo, K. and Ogihara, T. Calcium metabolism in elderly hypertensive patients: Possible participation of exaggerated sodium, calcium and phosphate excretion 631
- Inagaki, Y., see Saito, T.
- Irvine, R. F., see Neylon, C. B.
- Ishii, K., see Morishita, R.
- Ishii, K., see Okunishi, H.
- Ishii, M., see Matsuoka, H.
- Ishikawa, S-E., see Okada, K.
- Ishimitsu, T., see Matsuoka, H.
- Ishino, H., see Ikeda, K.
- Iwata, J., see Saito, T.
- Iwatsuki, K., Horiuchi, A., Ren, L-M. and Chiba, S. Direct and indirect stimulation of pancreatic exocrine secretion by neurotensin in anaesthetized dogs 475
- Jackson, B., see Jandeleit, K.
- Jackson, R. V., see Hockings, G. I.
- James, M. F. M., see Janicki, P. K.
- Jamieson, D., see Duffield, P. H.
- Jandeleit, K., Jackson, B., Perich, R., Paxton, D. and Johnston, C. I. Angiotensin-converting enzyme in macro and micro vessels of the rat (Short Comm.) 353
- Janicki, P. K., Erskine, W. A. R. and James, M. F. M. The role of morphine administration affects the development of tolerance in relation to gastric emptying in rats: Is morphine-6-glucoside involved? (Rapid Comm.) 193
- Jankowski, B. M., see Raff, H.
- Jennings, G., see Esler, M.
- Jennings, G., Korner, P. I., Sudhir, K., Esler, M., Angus, J. A. and Laufer, E. Evidence for a role for the cardiovascular amplifiers in human primary hypertension (Short Comm.) 37
- Jones, I. S., see Finn, W. L.
- Jones, M., see Hunyor, S. N.
- Johnston, C. I., Mooser, V., Sun, Y. and Fabris, B. Changes in cardiac angiotensin converting enzyme after myocardial infarction and hypertrophy in rats (Short Comm.) 107
- Johnston, C. I., see Jandeleit, K.
- Johnston, C. I., see Kanazawa, M.
- Johnston, C. I., see Kohzuki, M.
- Johnston, C. I., see Mooser, V.
- Johnston, C. I., see Trinder, D.
- Jones, I. S., see Finn, W. L.
- Kai, N., see Saito, T.
- Kakizoe, E., see Kobayashi, Y.
- Kanazawa, M. and Johnston, C. I. Distribution and inhibition of neutral metalloendopeptidase (NEP) (EC 3.4.24.11), the major degradative enzyme for atrial natriuretic peptide, in the rat kidney 449

- Kangawa, K., see Matsuoka, H.  
 Katsushika, S., see Morishita, R.  
 Katsushika, S., see Maie, S-I.  
 Kawamoto, A., Shimada, K., Matsubayashi, K., Nishinaga, M., Kimura, S. and Ozawa, T. Factors associated with silent multiple lacunar lesions on magnetic resonance imaging in asymptomatic elderly hypertensive patients 605  
 Kawamoto, T., see Morishita, R.  
 Kawamoto, T., see Okunishi, H.  
 Kawazoe, N., see Takishita, S.  
 Kelly, J. M. see Trinder, D.  
 Kimura, K., see Matsuoka, H.  
 Kimura, S., see Kawamoto, A.  
 King, R. G., see Sikorski, B. W.  
 Kirchengast, M. and Hergenröder, S. Reperfusion arrhythmias in closed-chest rats: The effect of myocardial noradrenaline depletion and  $\text{Ca}^{2+}$ -antagonism 217  
 Kitano, S., see Imaoka, M.  
 Klemm, S. A., see Finn, W. L.  
 Klemm, S. A., see Gordon, R. D.  
 Klemm, S. A., see Tunny, T. J.  
 Klemm, S. A., Hornyk, A., Tunny, T. J. and Gordon, R. D. The syndrome of hypertension and hyperkalaemia with normal glomerular filtration rate: Is there a deficiency in vasodilator prostaglandins? (Short Comm.) 309  
 Kobayashi, A., see Di-yuan, L.  
 Kobayashi, A., see Nabika, T.  
 Kobayashi, Y., Ikeda, K., Kakizoe, E., Shinozuka, K., Nara, Y., Yamori, Y. and Hattori, K. Comparison of vasopressor effects of nitro arginine in stroke-prone spontaneously hypertensive rats and Wistar-Kyoto rats 599  
 Kobayashi, Y., Ikeda, K., Shinozuka, K., Nara, Y., Yamori, Y. and Hattori, K. L-nitroarginine increases blood pressure in the rat 397  
 Kobler, H., Cejnar, M. and Hunyor, S. N. Relevance of the waterfall phenomenon in continuous finger cuff blood pressure measurements (Short Comm.) 323  
 Kohzuki, M., Johnston, C. I., Abe, K., Chai, S. Y., Casley, D. J., Yasujima, M., Yoshinaga, K. and Mendelsohn, F. A. O. *In vitro* autoradiographic endothelin-1 binding sites and sarafotoxin S6B binding sites in rat tissues 509  
 Korner, P. I., see Jennings, G.  
 Krek, A. L., see Gordon, R. D.  
 Krieger, J., Benzoni, D., Sforza, E. and Sassard, J. Urinary excretion of prostanoids during sleep in obstructive sleep apnoea patients 551  
 Krieger, J. E. see Cowley, A. W. Jr  
 Krum, H., Conway, E. L. and Howes, G. L. Acute effects of exercise on plasma lipids, noradrenaline levels and plasma volume 697  
 Kuraja, I. J., see Woodcock, E. A.  
 Kurobe, Y., see Okunishi, H.  
 La, M., see Wong-Dusting, H. K.  
 Lachaud, V., see Deckert, V.  
 Lambert, G., see Esler, M.  
 Land, S., see Woodcock, E. A.  
 Langley, L., see Rosenfeldt, F. L.  
 Lapalus, P., see Drici, M. D.  
 Laude, D., see Elghozi, J-L.  
 Laufer, E., see Jennings, G.  
 Leroy, M. J., Tanguy, G., Vial, M., Rostène, W., Malassié, A. and Ferré, F. The effect of vasoactive intestinal peptide (VIP) on the contractile activity of human uterine smooth muscle 205  
 Li, M. and Whitworth, J. A. Role of the sympathetic nervous system in the onset of hypertension in the rat: The effect of 6-OH-dopamine 197  
 Liggins, G., see Hunyor, S. N.  
 Lin, Y. F., see Yen, C. T.



- Little, P. J., see Bobik, A.
- Little, P. J., see Saltis, J.
- Llewellyn-Smith, I. J., Minson, J. B., Pilowsky, P. M. and Chalmers, J. P. There are few catecholamine- or neuropeptide Y-containing synapses in the intermediolateral cell column of rat thoracic spinal cord (Short Comm.) 111
- Loneragan, M. A. and Field, M. J. Renal sodium excretion following systemic infusion of vasoactive intestinal peptide in the rat 819
- Lou, Y., Smith, D. L., Robinson, B. G. and Morris, B. J. Renin gene expression in various tissues determined by single-step polymerase chain reaction (Short Comm.) 357
- Ludbrook, J., see Evans, R. G.
- Ludbrook, J. On making multiple comparisons in *Clinical and Experimental Pharmacology and Physiology* (Ed. Rev.) 379
- Ludbrook, J. and Evans, R. G. Cardiac chemoreceptors: Pharmacological curiosities or physiological tools? (Short Comm.) 101
- Macintosh, V. S., Elsegood, C. L. and Redgrave, T. G. Effects of adrenoreceptor antagonists and agonists on clearance of emulsion models of triacylglycerol-rich lipoproteins from plasma in rats 775
- Mackintosh, V. S. and Redgrave, T. G. Effects of adrenaline and noradrenaline on clearance of triacylglycerol-rich lipoproteins from plasma: Studies with chylomicron-like lipid emulsions in rats 137
- Mahapatra, M. S., Mahata, S. K. and Maiti, B. Effect of stress on serotonin, norepinephrine, epinephrine and corticosterone contents in the soft-shelled turtle 719
- Mahata, S. K., see Mahapatra, M. S.
- Maie, S.-I., Ohusuzu, F., Katsushika, S., Akanuma, M., Aosaki, N., Nakamura, H. and Ohashi, H. Enhanced beta-adrenergic signal transduction in spontaneously hypertensive rats (Short Comm.) 671
- Maiti, B., see Mahapatra, M. S.
- Mårtensson, L., see Hultkvist-Bengtsson, U.
- Marwood, J., Tierney, G. and Stokes, G. Investigations into interactions between doxazosin and enalaprilat at  $\alpha_1$ -adrenoceptors in anaesthetized rats 231
- Mary, P. L. and Prakasa Rao, J. Metabolic basis of catecholamine-induced water transport in everted gut sacs of mouse 483
- Mason, W. T., see Neylon, C. B.
- Massucco, P., see Anfossi, G.
- Masuo, K., Mikami, H., Habara, N. and Ogiwara, T. Orthostatic and postprandial blood pressure reduction in patients with essential hypertension 155
- Masuyama, Y., see Tsuda, K.
- Mather, L. E., see Reid, M. A.
- Matsubayashi, K., see Kawamoto, A.
- Matsumura, Y., see Uchida, T.
- Matsuo, H., see Matsuoka, H.
- Matsuoka, H., Fukui, K., Dan, Y., Ishimitsu, T., Hirata, Y., Kimura, K., Sugimoto, T., Ishii, M., Kangawa, K. and Matsuo, H. Atrial natriuretic peptide inhibits the aldosterone response to metoclopramide in patients with glomerular disease and essential hypertension 557
- Matsusawa, M., see Takahashi, H.
- Mattiello, L., see Anfossi, G.
- McCloskey, D. I. and Potter, E. K. Neuropeptide Y and cardiovascular regulation (Short Comm.) 47
- McGrath, B. P., see Shimizu, K.
- McGrath, B. P., see Noshiro, T.
- McLean, C. F., see Reid, M. A.
- McPherson, G. A., see Angus, J. A.
- McRitchie, R. J., see Roberts-Thomson, P.
- Mendelsohn, F. A. O., see Kohzuki, M.
- Mendelsohn, F. A. O., see Song, K.
- Mendelsohn, F. A. O., see Zambetis-Bellessis, M.
- Michalick, J., see Evans, R. G.
- Mikami, H., see Masuo, K.

- Mikami, H., see Morishita, R.
- Minson, J. B., see Llewellyn-Smith, I. J.
- Miura, L., Nasa, Y., Ichihara, K. and Abiko, Y. The inhibitory effect of bevantolol on the accumulation of non-esterified fatty acids during ischaemia in the dog heart *in situ* (Short Comm.) 259
- Miyawaki, N., Furuta, T., Shigei, T., Yamazaki, F. and Yamauchi, H. Anti-ischaemic and vasospasmolytic effects of a novel  $\text{Ca}^{2+}$  channel blocker, SD- 3211, *in vitro* 579
- Miyazaki, M., see Okunishi, H.
- Miyazaki, M., see Morishita, R.
- Mizuno, K., Tani, M., Niimura, S. and Fukuchi, S. Effect of delapril on the vascular angiotension II release in isolated hind legs of the spontaneously hypertensive rat: Evidence for potential relevance of vascular angiotensin II to the maintenance of hypertension 619
- Mooser, V., see Johnston, C. I.
- Mooser, V., see Trinder, D.
- Mooser, V., Casley, D., Trinder, D., Paxton, D. L. and Johnston, C. I. Reduction in left ventricular mass in normotensive and spontaneously hypertensive rats given enalapril (Short Comm.) 341
- Morand, P., see Drici, M. D.
- Morgan, T., Barrett, G., Zhang, Y. and Alcorn, D. The role of the macula densa in renin synthesis (Short Comm.) 123
- Morgan, T. O., see Spanos, H. G.
- Mori, C., see Di-yuan, L.
- Mori, T. A., Puddey, I. B., Wilkinson, S. P., Beilin, L. J. and Vandongen, R. Urinary steroid profiles and alcohol-related blood pressure elevation (Short Comm.) 287
- Morimoto, S., see Imaoka, M.
- Morishita, R., Higaki, J., Okunishi, H., Kawamoto, T., Ishii, K., Nakamura, F., Katahira, K., Nagano, M., Mikami, H., Miyazaki, M. and Ogihara, T. Effect of long-term treatment with an angiotensin-converting enzyme inhibitor on the renin-angiotensin system in spontaneously hypertensive rats 685
- Morris, B. J., see Griffiths, L. R.
- Morris, B. J., see Lou Y.
- Morton, A. R., see Allen, D. H. G.
- Muirhead, E. E., Brooks, B., Byers, L. W., Brown, P. and Pitcock, J. A. Secretion of Medullipin I by isolated kidneys perfused under elevated pressure 409
- Mularoni, E., see Anfossi, G.
- Mulvany, M. J. Abnormalities of resistance vessel structure in essential hypertension: Are these important? 13
- Munsch, C., see Rosenfeldt, F. L.
- Nabika, T., see Ikeda, K.
- Nabika, T., Kobayashi, A., Nara, Y., Endo, J. and Yamori, Y. Activation of  $\text{Na}^+/\text{H}^+$  exchange is unnecessary in the induction of *c-fos* mRNA in serum-stimulated vascular smooth muscle cells 543
- Nagano, M., see Morishita, R.
- Nakamura, F., see Morishita, R.
- Nakamura, H., see Maie, S-I.
- Nakamura, M., see Yamakawa, H.
- Nakanishi, T., see Takahashi, H.
- Nara, K., see Kobayashi, Y.
- Nara, Y., see Di-yuan, L.
- Nara, Y., see Ikeda, K.
- Nara, Y., see Kobayashi, Y.
- Nara, Y., see Nabika, T.
- Narkowicz, C. K., Vial, J. H. and Xu, X. F. Delayed recovery from  $\text{N}^G$ -nitro L-arginine in the conscious sheep (Short Comm.) 843
- Nasa, Y., see Miura, L.
- Nestel, P. J., see Cobiac, L.
- Newling, R., see Brown, L.
- Neylon, C. B., see Bobik, A.
- Neylon, C. B., Mason, W. T. and Irvine, R. F. Histamine-induced calcium oscillations in human vascular smooth muscle: Temporal sequence and spatial organization in single cells (Short Comm.) 299



- Nielsen, A. H., Hagemann, A. and Poulsen, K. Effect of gonadotropins and pregnancy on prorenin and renin in the rat 419
- Niimura, S., see Mizuno, K.
- Nishikibe, M., see Takeshita, H.
- Nishimura, M., see Takahashi, H.
- Nishinaga, M., see Kawamoto, A.
- Noshiro, T., Way, D. and McGrath, B. P. Effect of angiotensin-converting enzyme inhibition on renal norepinephrine spillover rate and baroreflex responses in conscious rabbits (Short Comm.) 375
- O'Dea, K. Cardiovascular disease risk factors in Australian Aborigines (Short Comm.) 85
- Obiefuna, P. C. M., Ebeigbe, A. B., Sofola, O. A. and Aloamaka, C. P. Altered responses of aortic smooth muscle from Sprague-Dawley rats with salt-induced hypertension 813
- Ogasawara, A., see Takahara, A.
- Ogawa, K., see Tanaka, H.
- Ogihara, T., see Imaoka, M.
- Ogihara, T., see Masuo, K.
- Ogihara, T., see Morishita, R.
- Ohashi, H., see Maie, S-I.
- Ohno, Y., see Yamakawa, H.
- Ohusuzu, F., see Maie, S-I.
- Oka, Y., see Okunishi, H.
- Okada, K., Ishikawa, S-E and Saito, T. Potentiation by aldosterone of vasopressin-induced calcium kinetics in vascular smooth muscle cells 643
- Okunishi, H., see Morishita, R.
- Okunishi, H., Kawamoto, T., Kurobe, Y., Oka, Y., Ishii, K., Tanaka, T. and Miyazaki, M. Pathogenetic role of vascular angiotensin-converting enzyme in the spontaneously hypertensive rat 649
- Onuma, N., see Saito, T.
- Ozawa, T., see Kawamoto, A.
- Pallandi, R., see Campbell, T. J.
- Parini, A., see Deckert, V.
- Paxinos, G., see Song, K.
- Paxton, D. L., see Jandeleit, K.
- Paxton, D. L., see Mooser, V.
- Payne, N., see Foster, P. S.
- Perich, R., see Jandeleit, K.
- Phillips, P. A., see Trinder, D.
- Pilowsky, P. M., see Llewellyn-Smith, I. J.
- Pitcock, J. A., see Muirhead, E. E.
- Potter, E. K., see McCloskey, D. I.
- Poulsen, K., see Nielsen, A. H.
- Prakasa Rao, J., see Mary, P. L.
- Puddey, I. B., see Allen, D. H. G.
- Puddey, I. B., see Mori, T. A.
- Rabkin, S. W. Diltiazem and verapamil lower blood pressure in the unanaesthetized rat through CNS mechanisms involving endogenous opioids 431
- Raff, H., Rossing, M. H., Doepker, S. K., Griffen, S. C. and Jankowski, B. M. Vasopressin response to haemorrhage in rats: Effect of hypoxia and water restriction 725
- Rand, M. J., see Wong-Dusting, H. K.
- Redgrave, T. G., see Mackintosh, V. S.
- Reid, M. A., Mather, L. E., Runciman, W. B. and McLean, C. F. Failure of the Kety-Schmidt nitrous oxide method for determination of myocardial blood flow 169
- Ren, L-M., see Iwatsuki, K.
- Rengo, F., see Abete, P.
- Richardson, K., see Zambetis-Bellesis, M.
- Riemersma, R. A., see Dart, A. M.
- Rimailho, A., see Drici, M. D.

- Rivier, J., see Allen, R.
- Roberts-Thomson, P., McRitchie, R. J. and Chalmers, J. P. Effects of endothelin-1 on arterial pressure and myocardial contractility in the conscious normotensive rabbit (Short Comm.) 315
- Robinson, G. G., see Lou, Y.
- Roman, R. J., see Cowley, A. W. Jr
- Rosenfeldt, F. L., Munsch, C., Langley, L., Conyers, R. and Williams, J. F. Enhanced myocardial metabolism improves recovery after cardiac surgery and transplantation (Short Comm.) 121
- Rossing, M. H., see Raff, H.
- Rostène, W., see Leroy, M. J.
- Roux, M., see Drici, M. D.
- Ruigrok, M. A., see Carmody, J. J.
- Runciman, W. B., see Reid, M. A.
- Saito, T., see Okada, K.
- Saito, T., Onuma, N., Yamamoto, M., Kai, N., Yamamoto, K., Iwata, J., Yamada, K., Deguchi, F. and Inagaki, Y. Exercise-loaded blood pressure and Li-Na countertransport system in the erythrocyte membrane as predictors of mild essential hypertension prognosis 611
- Salts, J., Little, P. and Bobik, A. Multiple growth abnormalities in vascular smooth muscle from spontaneously hypertensive rats (Short Comm.) 319
- Saruta, T., see Yamakawa, H.
- Sasaki, S., see Dampney, R. A. L.
- Sassard, J., see Krieger, J.
- Satake, T., see Tanaka, H.
- Sato, T., see Tsunoda, K.
- Satoh, S., see Takahara, A.
- Schleiffer, R., Ghysel-Burton, J., Finet, M. and Gairard, A. Effect of parathyroidectomy on development of hypertension and atrial responsiveness in spontaneous hypertensive rats 145
- Schwartz, J., see Shimizu, K.
- Scott, N., see Allen, R.
- Sernia, C., see Brown, L.
- Severina, T. S., see Chirkov, Y. Y.
- Sforza, E., see Krieger, J.
- Shigei, T., see Miyawaki, N.
- Shimada, K., see Kawamoto, A.
- Shimizu, K., Schwartz, J. and McGrath, B. P. Effects of V<sub>2</sub> receptor activity on the pressor response to vasopressin in the rat (Short Comm.) 349
- Shinozuka, K., see Kobayashi, Y.
- Shulkes, A., see Wright, R. D.
- Sikorski, B. W., Hodgson, W. C. and King, R. G. Thromboxane A<sub>2</sub> receptor stimulation similarly potentiates pressor responses to 5-hydroxytryptamine in perfused hindquarters of non-diabetic and alloxan diabetic rats 237
- Smith, D. L., see Lou, Y.
- Sobey, C. G., Dusting, G. J. and Woodman, O. L. Enhanced vasoconstriction by serotonin in rabbit carotid arteries with atheroma-like lesions *in vivo* (Short Comm.) 357
- Sofola, O. A., see Obiefuna, P. C. M.
- Song, K., Allen, A. M., Paxinos, G. and Mendelsohn, F. A. O. Angiotensin II receptor subtypes in rat brain (Short Comm.) 93
- Spanos, H. G., DiNicolantonio, R. and Morgan, T. O. The use of non-invasive blood pressure measurements to measure pressor responses in rats during air stress 761
- Stokes, G., see Marwood, J.
- Stowasser, M., see Gordon, R. D.
- Stretton, D. Non-adrenergic, non-cholinergic neural control of the airways 675
- Su, C. K., see Yen, C. T.
- Sudhir, K., see Jennings, G.
- Sugimoto, T., see Matsuoka, H.
- Sun, Y., see Johnston, C. I.

- Suzuki, H., see Yamakawa, H.
- Suzuki, Y., see Uchida, T.
- Suzuki-Kusaba, M., see Takahare, A.
- Takagi, K., see Tanaka, H.
- Takahare, A., Ogasawara, A., Suzuki-Kusaba, M., Hisa, H. and Satoh, S. Natriuretic effect of TMB-8 in anaesthetized dogs (Short Comm.) 255
- Takahashi, H., Matsusawa, M., Nishimura, M., Ikegaki, I., Nakanishi, T. and Yoshimura, M. Digoxin-like immunoreactivity increases with intravenous infusion of saline in rats 505
- Takata, Y., see Takishita, S.
- Takeshita, H., Nishikibe, M., Yano, M. and Ikemoto, F. Coronary vascular response to endothelin in isolated perfused hearts of spontaneously hypertensive rats 661
- Takishita, S., Takata, Y., Abe, I., Tomita, Y., Kawazoe, N., Fujishima, M. and Fukiyama, K. Lack of sympathetic augmentation in response to intravenous load of glucose in rabbits 525
- Takrouiri, M., see Hasan, Z.
- Tanaka, H., Ogawa, K., Takagi, K., Satake, T. and Hidaka, H. Inhibition of cyclic GMP phosphodiesterase by xanthine derivatives relaxes guinea-pig trachealis smooth muscle 163
- Tanaka, T., see Okunishi, H.
- Tang, F. Effect of reserpine on catecholamine contents and met-enkephalin and  $\beta$ -endorphin levels in the hypothalamus and the pituitary 425
- Tanguy G., see Leroy, M. J.
- Tani, M., see Mizuno, K.
- Thompson, R. E., see Gordon, R. D.
- Tierney, G., see Marwood, J.
- Tomita, Y., see Takishita, S.
- Tresham, J. J., Dusting, G. J., Coghlan, J. P. and Whitworth, J. A. Haemodynamic and hormonal effects of N-nitro-L-arginine, an inhibitor of nitric oxide biosynthesis, in sheep (Short Comm.) 327
- Trinder, D., see Mooser, V.
- Trinder, D., Mooser, V., Kelly, J. M., Phillips, P. A., Casley, D. and Johnston, C. I. Characterization of monoclonal antibodies to a rat liver vasopressin receptor (Short. Comm.)
- Tunny, T. J., see Gordon, R. D.
- Trovati, M., see Anfossi, G.
- Tsuda, K. and Masuyama, Y. Presynaptic regulation of neurotransmitter release in hypertension (Review) 455
- Tsunoda, K., Abe, K., Sato, T., Yokosawa, S. and Yoshinaga, K. Decreased conversion of big endothelin-1 to endothelin-1 in patients with diabetes mellitus (Rapid Comm.) 731
- Tunny, T. J., see Finn, W. L.
- Tunny, T. J., see Klemm, S. A.
- Tunny, T. J., Finn, W. L., Klemm, S. A. and Gordon, R. D. Does urinary atrial natriuretic peptide reflect plasma levels in humans? (Short Comm.) 295
- Tyshchuk, I. A., see Chirkov, Y. Y.
- Uchida, T., Hayashi, K., Suzuki, Y. and Matsumura, Y. Effect of torasemide on renal haemodynamics and function in anaesthetized dogs 497
- Vandongen, R., see Mori, T. A.
- Vassalle, M., see Abete, P.
- Vial, J. H., see Narkowicz, C. K.
- Vial, M., see Leroy, M. J.
- Walters, M. M., see Hockings, G. I.
- Way, D., see Noshiro, T.
- West, M. J. Hypertension and components of vascular resistance (Short Comm.) 61
- Whitworth, J. A., see Li, M.
- Whitworth, J. A., see Tresham, J. J.
- Whitworth, J. A. and Hewitson, T. D. ACTH hypertension in the rat: Role of kidney and gonads 789
- Widy-Tyszkiewicz, E. and Członkowski, A. Normotensive Wistar rats differ from spontaneously hypertensive and renal hypertensive rats in their cardiovascular responses to opioid agonists 797
- Wilkinson, S. P., see Mori, T. A.

- Williams, J. F., see Rosenfeldt, F. L.
- Wing, L. M. H., see Cobiac, L.
- Wong-Dusting, H. K., La, M. and Rand, M. J. Endothelin-1 enhances vasoconstrictor responses to sympathetic nerve stimulation and noradrenaline in the rabbit ear artery 131
- Woodcock, E. A., Fullerton, M., Land, S. and Kuraja, I. J. Culturing rat neonatal myocytes causes changes in the phosphatidylinositol turnover pathway (Short Comm.) 331
- Woodman, O. L., see Du, Z. Y.
- Woodman, O. L., see Sobey, C. G.
- Woods, R. L., see Anderson, W. P.
- Wright, R. D., Blair-West, J. R., Gibson, A. P. and Shulkes, A. Evidence against the involvement of vasoactive intestinal peptide in ovine parotid secretion and blood flow 469
- Wyse, K. R., see Campbell, T. J.
- Xu, X. F., see Narkowicz, C. K.
- Yamada, K., see Saito, T.
- Yamakawa, H., Suzuki, H., Nakamura, M., Ohno, Y. and Saruta, T. Role of platelet cytosolic calcium in the response to salt intake in normotensive subjects 627
- Yamamoto, K., see Saito, T.
- Yamamoto, M., see Saito, T.
- Yamauchi, H., see Miyawaki, N.
- Yamazaki, F., see Miyawaki, N.
- Yamori, Y., see Di-yuan, L.
- Yamori, Y., see Ikeda, K.
- Yamori, Y., see Kobayashi, Y.
- Yamori, Y., see Nabika, T.
- Yang, J. M., see Yen, C. T.
- Yano, M., see Takeshita, H.
- Yasujima, M., see Kohzuki, M.
- Yen, C. T., Hwang, J. C., Su, C. K., Lin, Y. F., Yang, J. M. and Chai, C. Y. Differential actions of the medial region of caudal medulla on autonomic nerve activities 743
- Ying, L.-H., see Griffiths, L. R.
- Yokosawa, S., see Tsunoda, K.
- Yoshimura, M., see Takahashi, H.
- Yoshinaga, K., see Kohzuki, M.
- Yoshinaga, K., see Tsunoda, K.
- Zambetis-Bellessis, M., Dusting, G. J., Mendelsohn, F. A. O. and Richardson, K. Autoradiographic localization of angiotensin-converting enzyme and angiotensin II binding sites in early atheroma-like lesions in rabbit arteries (Short Comm.) 337
- Zee, R. Y. L., see Griffiths, L. R.
- Zhang, Y., see Morgan, T.

